

<u>United States</u>

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018, 46,802 opioid-related overdose deaths occurred in the US.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



UNITED STATES





ALASKA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

68

opioid-related overdose deaths occurred in Alaska.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



ALASKA





ALABAMA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

381

opioid-related overdose deaths occurred in Alabama.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



ALABAMA





ARKANSAS


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

208

opioid-related overdose deaths occurred in Arkansas.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



ARKANSAS






ARIZONA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
1,106

opioid-related overdose deaths occurred in Arizona.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



ARIZONA





CALIFORNIA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

2,410

opioid-related overdose deaths occurred in California.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



CALIFORNIA





COLORADO


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

564

opioid-related overdose deaths occurred in Colorado.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



COLORADO





CONNECTICUT


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

948

opioid-related overdose deaths occurred in Connecticut.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



CONNECTICUT







DISTRICT OF COLUMBIA

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.








^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



DISTRICT OF COLUMBIA








DELAWARE

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.








^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



DELAWARE







FLORIDA

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
3,189
opioid-related
overdose deaths
occurred in
Florida.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



FLORIDA





GEORGIA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

866

opioid-related overdose deaths occurred in Georgia.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



GEORGIA







HAWAII

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
59
opioid-related
overdose deaths
occurred in
Hawaii.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



HAWAII





IOWA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

143

opioid-related overdose deaths occurred in lowa.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



IOWA





IDAHO


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

120

opioid-related overdose deaths occurred in Idaho.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



IDAHO





ILLINOIS


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

2,169

opioid-related overdose deaths occurred in Illinois.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



ILLINOIS







INDIANA

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
1,104
opioid-related
overdose deaths
occurred in
Indiana.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



INDIANA







KANSAS

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018, 156 opioid-related overdose deaths occurred in Kansas.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



KANSAS





KENTUCKY


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

989

opioid-related overdose deaths occurred in Kentucky.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



KENTUCKY








<u>Louisiana</u>

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.








^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



<u>LOUI</u>SIANA







MASSACHUSETTS

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
1,991
opioid-related
overdose deaths
occurred in
Massachusetts.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MASSACHUSETTS





MARYLAND


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

2,087

opioid-related overdose deaths occurred in Maryland.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MARYLAND





MAINE


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

282

opioid-related overdose deaths occurred in Maine.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MAINE





MICHIGAN


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

2,011

opioid-related overdose deaths occurred in Michigan.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MICHIGAN





MINNESOTA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

343

opioid-related overdose deaths occurred in Minnesota.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MINNESOTA







<u>MISSOURI</u>

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
1,132
opioid-related
overdose deaths
occurred in
Missouri.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MISSOURI





MISSISSIPPI


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

173

opioid-related overdose deaths occurred in Mississippi.¹






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MISSISSIPPI





MONTANA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

64

opioid-related overdose deaths occurred in Montana.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



MONTANA







NORTH CAROLINA

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018, 1,783 opioid-related overdose deaths occurred in North Carolina.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NORTH CAROLINA






NORTH DAKOTA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

36
opioid-related overdose deaths occurred in North Dakota.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NORTH DAKOTA





<u>NEBRASKA</u>


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

63

opioid-related overdose deaths occurred in Nebraska.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NEBRASKA





NEVADA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

372

opioid-related overdose deaths occurred in Nevada.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NEVADA







NEW HAMPSHIRE

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
412
opioid-related
overdose deaths
occurred in
New Hampshire.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NEW HAMPSHIRE






NEW JERSEY


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
2,583

opioid-related overdose deaths occurred in New Jersey.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NEW JERSEY







<u>NEW MEXICO</u>

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
338
opioid-related
overdose deaths
occurred in
New Mexico.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NEW MEXICO







NEW YORK

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
2,991
opioid-related
overdose deaths
occurred in
New York.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



NEW YORK





OHIO


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

3,237

opioid-related overdose deaths occurred in Ohio.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



OHIO





OKLAHOMA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

308

opioid-related overdose deaths occurred in Oklahoma.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



OKLAHOMA







OREGON

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
339
opioid-related
overdose deaths
occurred in
Oregon.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



OREGON





PENNSYLVANIA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

2,866

opioid-related overdose deaths occurred in Pennsylvania.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



PENNSYLVANIA







RHODE ISLAND

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018, 267 opioid-related overdose deaths occurred in Rhode Island.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



RHODE ISLAND







SOUTH CAROLINA

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
835
opioid-related
overdose deaths
occurred in
South Carolina.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



SOUTH CAROLINA





SOUTH DAKOTA


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

28

opioid-related overdose deaths occurred in South Dakota.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



SOUTH DAKOTA







TENNESSEE

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
1,307
opioid-related
overdose deaths
occurred in
Tennessee.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



TENNESSEE





TEXAS


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

1,402

opioid-related overdose deaths occurred in Texas.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



TEXAS







UTAH

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
437
opioid-related overdose deaths occurred in Utah.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



UTAH







VIRGINIA

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
1,193
opioid-related
overdose deaths
occurred in
Virginia.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



VIRGINIA







VERMONT

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
127
opioid-related
overdose deaths
occurred in
Vermont.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



VERMONT







WASHINGTON

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
737
opioid-related
overdose deaths
occurred in
Washington.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



WASHINGTON





WISCONSIN


Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.


The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,

846

opioid-related overdose deaths occurred in Wisconsin.¹






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



WISCONSIN







WEST VIRGINIA

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
702
opioid-related
overdose deaths
occurred in
West Virginia.1






^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



WEST VIRGINIA







WYOMING

Over the past two decades, the United States has experienced a trend of increasing drug overdose deaths that has measurably affected nearly every state. Although death rates from drug overdoses declined slightly overall from 2017 to 2018, a more nuanced pattern is revealed when examining rates by individual drug types. For instance, U.S. death rates from prescription opioids and heroin declined significantly in 2018, while death rates increased from synthetic opioids, cocaine, and psychostimulants such as methamphetamine.

The dynamics of the overdose crisis also vary widely across the states, with vast ranges in drug overdose rates and diverging trends of increasing and decreasing death rates. SHADAC has developed these state-level snapshots of data on overdose deaths as a resource for people to better understand the crisis in their states—a key step in developing and deploying effective policy solutions.

In 2018,
40
opioid-related overdose deaths occurred in Wyoming.1





^{1.} Includes overdose deaths involving any opioid, including natural and semi-synthetic opioids, synthetic opioids, heroin, as well as other opioids not broken out separately, such as opium, methadone, and other/unspecified opioids.



WYOMING

